

1. An image ordering system comprising a center server, a first client computer for an orderer and a second client computer for a laboratory that are capable of communicating data with one another;

an input unit for inputting data that

a first transmitting unit for transmitting, to

said center server including:

a first receiving unit for receiving the image

a second transmitting unit for transmitting

said second client computer including:

a first alerting unit for giving notice of

information regarding an image specified by the image specifying data and of an orderer represented by the orderer specifying data, which items of data have been received by said second receiving unit.

- 5 2. The system according to claim 1, wherein said system has a plurality of said second client computers;

 said center server stores correspondence data in advance, the correspondence data representing with which second client computer among the plurality thereof the

- 10 first client computer of the orderer is affiliated;

 said center server further including:

 a determination unit for determining, on the basis of the correspondence data, with which second client computer, among the plurality thereof, the

- 15 orderer specified by the orderer data received by said first receiving unit is affiliated; and

 a transmit controller for controlling said second transmitting unit so as to transmit the image data and the orderer specifying data to said second
20 client computer that has been determined by said determination unit.

3. The system according to claim 1, wherein said center server further includes an image database storing image data; and

- 25 said first client computer includes a display controller for displaying, on a display unit, a thumbnail image of an image represented by image data that has been stored in said image database of said

center server.

4. The system according to claim 1, wherein said center server further includes:

- a calculation unit which, on the basis of image
- 5 specifying data received by said first receiving unit, calculates an estimate of a printing fee for printing an image specified by the image specifying data; and
- a third transmitting unit for transmitting, to said first client computer, data representing the estimate
- 10 calculated by said calculation unit; and

said first client computer further includes:

- a third receiving unit for receiving the estimate data transmitted from said third transmitting unit of said center server; and
- 15 a second alerting unit for giving notice of the estimate represented by the estimate data received by said third receiving unit.

5. The system according to claim 1, wherein said center server further includes:

- 20 a calculation unit for calculating a printing fee for printing the image; and
- a fifth transmitting unit for transmitting data representing the fee calculated by said calculation unit to at least one of said first and second client
- 25 computers;
- at least one of said first and second client computers further including:
- a fifth receiving unit for receiving fee data

03805978-031503

transmitted from said fifth transmitting unit of said center server; and

a second alerting unit for giving notice of the fee represented by the fee data received by said fifth receiving unit.

6. The system according to claim 5, wherein said first and second client computers each include:

a sixth receiving unit for receiving fee data transmitted from said fifth transmitting unit of said center server; and

a third alerting unit for giving notice of a fee represented by the fee data received by said sixth receiving unit;

said fifth transmitting unit of said center server transmitting data representing the fee calculated by said fee calculation unit to said first client computer after it transmits this data to said second client computer.

7. The system according to claim 5, wherein said system has a plurality of said second client computers;

said fifth transmitting unit transmitting fee data of orderers affiliated with said second client computers.

8. The system according to claim 5, wherein each of a plurality of agencies is provided with a third client computer for the agency;

laboratories affiliated with the agencies and orderers affiliated with the laboratories each being

2025078-031501

said fifth transmitting unit transmitting fee data to the third client computer of a corresponding agency, to said second client computer of the laboratory and to 5 said first client computer of the orderer.

said third client computer of the agency including:
a first verification unit for verifying a fee
represented by fee data transmitted from said fifth
transmitting unit of said center server; and

said center server further including a seventh receiving unit for receiving verification data transmitted from said third client computer of the agency; and

10. The system according to claim 8, wherein said fifth transmitting unit of said center server transmits the fee data to the first client computer of the orderer

after it transmits it to the second client computer of the laboratory;

said second client computer of the laboratory further including:

- 5 a second verification unit for verifying a fee represented by fee data transmitted from said fifth transmitting unit of said center server; and

- a seventh transmitting unit for transmitting verification data to said center server in response to
10 verification performed by said second verification unit;

said center server having an eighth receiving unit for receiving verification data transmitted from said second client computer of the laboratory;

- said fifth transmitting unit transmitting the fee
15 data to said first client computer of the orderer in response to reception of the verification data by said eighth receiving unit.

11. The system according to claim 1, wherein a third client computer for an agency is provided, said third
20 client computer including:

a first setting unit for setting at least one of a laboratory affiliated with an agency and an orderer affiliated with a laboratory; and

- an eighth transmitting unit for transmitting
25 attribute data, which has been set by said first setting unit, to said center server.

12. The system according to claim 1, wherein said client computer for laboratory further includes:

2025 RELEASE UNDER E.O. 14176

a ninth transmitting unit for transmitting attribute data, which has been set by said second

13. The system according to claim 1, wherein at least one client computer of the third client computer for the agency and second client computer for the laboratory further includes:

a tenth transmitting unit for transmitting data, which represents the service that has been set by said third setting unit, to said center server.

a receiving unit for receiving data specifying an image and data specifying an orderer transmitted from a client computer of the orderer; and

25 15. A client computer for a laboratory comprising:

```

a receiving device for receiving data specifying an
image and orderer specifying data transmitted from a
center server;

```

a printer controller for controlling a printer so as to print the image represented by the received image data; and

an alerting unit for giving notice of an orderer
5 specified by the received orderer specifying data.

16. In an image ordering system comprising a center server, a first client computer for an orderer and a second client computer for a laboratory that are capable of communicating data with one another, an image
10 ordering method comprising the following steps implemented by said first client computer:

inputting data that specifies an image to be printed; and

transmitting, to said center server, the image
15 specifying data that is input and data specifying the orderer;

the following steps implemented by said center server:

receiving the image specifying data and the orderer
20 specifying data transmitted from said first client computer; and

transmitting the received image specifying data and orderer specifying data to said second client computer in association with each other; and

25 the following steps implemented by said second client computer:

receiving the image specifying data and the orderer specifying data transmitted from said center server; and

2025 RELEASE UNDER E.O. 14176

giving notice of information regarding an image specified by the received image specifying data and of an orderer represented by the received orderer specifying data.

- 5 17. A method of controlling operation of a center
server, comprising the steps of:

receiving data specifying an image and data
specifying an orderer transmitted from a first client
computer of the orderer; and

- 10 transmitting the received image specifying data and
orderer specifying data to a second client computer for
a laboratory in association with each other.

18. A method of controlling operation of a client computer for a laboratory, comprising the steps of:

- ```

15 receiving data specifying an image and orderer
 specifying data transmitted from a center server;

```

controlling a printer so as to print the image  
represented by the received image data; and

giving notice of an orderer specified by the

- ```
20 received orderer specifying data.
```